

1014F-104 Oras Safira ECO Washbasin faucet with washing machine valve



EAN: 6414150098796

static.oras.com/1014F-104

Washbasin faucet with washing machine valve and Bidetta hand shower. Swivel spout and aerator. Spout's swing angle is factory preset at 120° (can be limited to 40°-80°). Washing machine valve for cold water. There are also in-built limitation options for water temperature and maximum flow-rate.



- ECO Building
- Single-lever, Bidetta
- Deck mounted
- Chrome
- Swivel spout, Swivel range limiting option, Profile construction
- Standard aerator
- Single operating lever/handle, Hot/Cold symbols
- Hand shower, Shower holder, Shower hose (1750 mm)
- Bidetta hand shower
- Limitation option for maximum temperature and flow-rate
- ø 40 mm ceramic cartridge for flow and temperature control
- Flexible inlet pipes
- 1 spray function



Technical data

Flow properties

Flow-rate at 300 kPa (with flow controller) **0.056 l/s**

Technical properties

DN-size (nominal dimension) **DN8**
 Hot water supply **max. +70°C**
 Working pressure **50-1000 kPa**
 Connection size **G3/8**
 Projection **133 mm**
 Material **Brass**
 Spout swivel range **120° (40° - 80°)**

Regulations


EN standard **EN 817**
 Noise class **I (ISO 3822)**

Approvals and Declarations

STF certificate **EUFI29-22005194-TH**
 Declaration of conformity **DoC**
 EPD **S-P-06391**

Sustainability

EPD module A1 (kg CO2 eq.) **10,52**
 EPD module A2 (kg CO2 eq.) **0,50**
 EPD module A3 (kg CO2 eq.) **1,00**
 EPD module A1-A3 (kg CO2 eq.) **12,03**
 EPD module A4 (kg CO2 eq.) **0,33**
 EPD module B7 (kg CO2 eq.) **1038,24**
 EPD module C2 (kg CO2 eq.) **0,02**
 EPD module C3 (kg CO2 eq.) **0,02**
 EPD module C4 (kg CO2 eq.) **0,09**
 EPD module D (kg CO2 eq.) **-8,55**



SP1014F-GB

	Name	Code
01	Lever	602502V
02	Covering cap	602589V
03	Tightening nut, M42x1.5, SW 38	158726
04	Cartridge	158890
05	Spout, L=132	602520V
06	Spout overturning stopper, 120°	1001406/10
06	Spout overturning stopper, 40°-80°	1002207/10
07	Fixing screw, M8x1, L=130	1000780V
08	Fixing set	602610V
09	Aerator, M24x1, -105	601166V
09	Aerator, M24x1, -104	601434V
10	Bearing ring	601097/10
11	X-sealing set	158735
12	Bearing ring	159423/10
13	Headpart, G1/2	602600V
14	Handle for washing machine valve	1005697V
15	Bottom seal	1002371V
16	Supporting plate, 100x60mm	158825