



EAN: 6414150103247
static.oras.com/7401G-33



- Shower solutions
- Thermostatic
- Wall mounted
- Matt black
- Temperature control handle, Flow control handle, Eco feature for water flow
- Turn operated diverter, Integrated into flow control handle
- Hand shower, Shower rail, Overhead shower, Adjustable shower rail bracket, Shower hose (1750 mm), Variable fixing points, Rotatable ball joint connection, Anti limescale technology (easy to clean)
- ECO - Water saving stream
- Safety stop against scalding at 38°C, The housing of the fittings conducts minimal heat
- Ceramic head part for flow control, Thermostatic cartridge for automatic temperature control, Non-return valve(s), Litter filter(s)
- Direct connection, Internal thread
- Flexible length / can be shortened
- Without couplings
- 1 spray function



Technical data

Flow properties

Eco-flow at 300 kPa	0.08 l/s
Flow-rate at 300 kPa (with flow controller)	0.13 l/s

Technical properties

DN-size (nominal dimension)	DN15
Hot water supply	max. +65°C
Working pressure	100 - 1000 kPa
Connection size	G3/4
Installation width	150 ± 15 mm
Projection	435 - 460 mm
Backflow prevention (EN1717)	EB
Material	Brass

Regulations


EN standard	EN 1111, EN 1112, EN 1113
Noise class	I (ISO 3822)

Approvals and Declarations

SE Energy Mark	1831
Declaration of conformity	DoC
EPD	S-P-07819


Sustainability

EPD module A1 (kg CO2 eq.)	16,70
EPD module A2 (kg CO2 eq.)	0,86
EPD module A3 (kg CO2 eq.)	1,76
EPD module A1-A3 (kg CO2 eq.)	19,34
EPD module A4 (kg CO2 eq.)	0,51
EPD module B7 (kg CO2 eq.)	926,40
EPD module C2 (kg CO2 eq.)	0,04
EPD module C3 (kg CO2 eq.)	0,04
EPD module C4 (kg CO2 eq.)	1,06
EPD module D (kg CO2 eq.)	-12,64



Spare parts

SP7401G-33



	Name	Code
01	Shower pipe holder Matt black	1001314V-33
02	Slide for shower rail Matt black	1002442V-33
03	Filter sealing, G3/4, DN20	178375V
04	Diverter and cartridge	601278V
05	Thermostatic cartridge	178780V
06	Temperature control handle Matt black	1008607V-33