



EAN: 6414150079092

static.oras.com/7448



Thermostatic shower faucet with spout. Temperature handle equipped with safety stop at 38°C. Volume handle with diverter and EcoFlow control. The faucet includes vacuum breaker, litter filters and non-return valves. Oras Apollo shower set including hand shower, 650 mm shower rail, soap tray and 1500 mm shower hose.

- Bathtub & Shower
- Thermostatic
- Wall mounted
- Chrome
- Fixed spout
- Temperature control handle, Flow control handle, Eco feature for water flow, Safety feature for water temperature
- Turn operated diverter, Integrated into flow control handle
- Hand shower, Shower rail, Adjustable shower rail bracket, Soap dish, Shower hose (1500 mm), Eco flow control
- Thermostatic cartridge for automatic temperature control, Non-return valve(s), Litter filter(s)
- Direct connection, Internal thread
- 1 spray function



Technical data

Flow properties

Eco-flow at 300 kPa	0.17 l/s
Flow-rate at 300 kPa	0.24 l/s
Pressure loss with flow (0.2 l/s)	220 kPa

Technical properties

Hot water supply	max. +80°C
Working pressure	100 - 1000 kPa
Connection size	G1/2
Installation width	150 ± 3 mm
Projection	127 mm
Backflow prevention (EN1717)	EB
Material	Brass

Regulations


EN standard	EN 1111, EN 1112, EN 1113
Noise class	I (ISO 3822) Oras lab.

Approvals and Declarations


STF certificate	EUFI29-22005199-TH
Declaration of conformity	DoC
EPD	S-P-07819

Sustainability

EPD module A1 (kg CO2 eq.)	10,83
EPD module A2 (kg CO2 eq.)	0,56
EPD module A3 (kg CO2 eq.)	1,14
EPD module A1-A3 (kg CO2 eq.)	12,54
EPD module A4 (kg CO2 eq.)	0,33
EPD module B7 (kg CO2 eq.)	1968,60
EPD module C2 (kg CO2 eq.)	0,02
EPD module C3 (kg CO2 eq.)	0,02
EPD module C4 (kg CO2 eq.)	0,69
EPD module D (kg CO2 eq.)	-8,19



Spare parts



SP520

	Name	Code
01	Slide for shower rail	601189V
01	Slide for shower rail White	601189V-11
02	Wall bracket	601208V
02	Wall bracket White Discontinued	601208V-11

SP7462G

	Name	Code
01	Flow control handle	602452V
02	Diverter and cartridge	601278V
03	Litter filters, G1/2, DN15	198094/2
03	Filter sealing, G3/4, DN20	178375V
04	Temperature control handle	602431V
05	O-ring kit	178796V
06	Thermostatic cartridge	178780V
07	Aerator, M24x1 uk	600654V

