



EAN: 6414150079108  
[static.oras.com/7453](http://static.oras.com/7453)



Thermostatic shower faucet with spout. Temperature handle equipped with safety stop at 38°C. Volume handle with diverter and EcoFlow control. The faucet includes litter filters and non-return valves. Oras Apollo shower set including hand shower with three spray options including EcoFlow control, adjustable max. 720 mm shower rail, a soap tray and 1750 mm shower hose.

- Bathtub & Shower
- Thermostatic
- Wall mounted
- Chrome
- Fixed spout
- Temperature control handle, Flow control handle, Eco feature for water flow, Safety feature for water temperature
- Turn operated diverter, Integrated into flow control handle
- Hand shower, Shower rail, Adjustable shower rail bracket, Soap dish, Shower hose (1750 mm), Eco flow control
- Normal - Even and soft water stream, Refreshing - Strong water stream, activates and refreshes entire body, Relaxing - Soft water stream, pleasant for entire body
- Safety stop against scalding at 38°C
- Litter filter(s), Non-return valve(s), Thermostatic cartridge for automatic temperature control
- Direct connection, Internal thread
- 3 spray functions



## Technical data

### Flow properties

Eco-flow at 300 kPa	<b>0.17 l/s</b>
Flow-rate at 300 kPa	<b>0.26 l/s</b>
Pressure loss with flow (0.2 l/s)	<b>200 kPa</b>

### Technical properties

Hot water supply	<b>max. +80°C</b>
Working pressure	<b>100 - 1000 kPa</b>
Connection size	<b>G1/2</b>
Installation width	<b>150 ± 3 mm</b>
Backflow prevention (EN1717)	<b>EB</b>
Material	<b>Brass</b>

### Regulations


EN standard	<b>EN 1111, EN 1112, EN 1113</b>
Noise class	<b>I(ISO 3822) Oras lab.</b>

### Approvals and Declarations


STF certificate	<b>EUFI29-22005199-TH</b>
Declaration of conformity	<b>DoC</b>
EPD	<b>S-P-07819</b>

### Sustainability

EPD module A1 (kg CO2 eq.)	<b>12,11</b>
EPD module A2 (kg CO2 eq.)	<b>0,62</b>
EPD module A3 (kg CO2 eq.)	<b>1,28</b>
EPD module A1-A3 (kg CO2 eq.)	<b>14,02</b>
EPD module A4 (kg CO2 eq.)	<b>0,37</b>
EPD module B7 (kg CO2 eq.)	<b>1968,60</b>
EPD module C2 (kg CO2 eq.)	<b>0,03</b>
EPD module C3 (kg CO2 eq.)	<b>0,03</b>
EPD module C4 (kg CO2 eq.)	<b>0,77</b>
EPD module D (kg CO2 eq.)	<b>-9,16</b>



## Spare parts



### SP540

	Name	Code
01	Slide for shower rail	601189V
02	Wall support	602331V

### SP7462

	Name	Code
01	Flow control handle	602452V
02	Diverter and cartridge	601278V
03	Litter filters, G1/2, DN15	198094/2
03	Filter sealing, G3/4, DN20	178375V
04	Temperature control handle	602431V
05	O-ring kit	178796V
06	Thermostatic cartridge	178780V
07	Water star, M24x1	158556

