




EAN: 6414150097614
static.oras.com/7462G-33



- Bathtub & Shower
- Thermostatic
- Wall mounted
- Matt black
- Fixed spout
- Standard aerator
- Temperature control handle, Flow control handle, Eco feature for water flow, Safety feature for water temperature
- Turn operated diverter, Integrated into flow control handle
- Eco flow control
- Safety stop against scalding at 38°C
- Litter filter(s), Non-return valve(s), Thermostatic cartridge for automatic temperature control
- Direct connection, Internal thread, Cover plate(s)



Technical data

Flow properties

Eco-flow at 300 kPa	0.16 l/s
Flow-rate at 300 kPa	0.23 l/s
Pressure loss with flow (0.2 l/s)	230 kPa

Technical properties

Hot water supply	max. +80°C
Working pressure	100 - 1000 kPa
Connection size	G1/2
Installation width	150 mm
Backflow prevention (EN1717)	EB
Material	Brass

Regulations


EN standard	EN 1111
Noise class	I(ISO 3822)

Approvals and Declarations

STF certificate	EUFI29-22005199-TH
Declaration of conformity	DoC
EPD	S-P-06397

Sustainability

EPD module A1 (kg CO2 eq.)	7,92
EPD module A2 (kg CO2 eq.)	0,37
EPD module A3 (kg CO2 eq.)	0,91
EPD module A1-A3 (kg CO2 eq.)	9,20
EPD module A4 (kg CO2 eq.)	0,33
EPD module B7 (kg CO2 eq.)	1688,00
EPD module C2 (kg CO2 eq.)	0,02
EPD module C3 (kg CO2 eq.)	0,02
EPD module C4 (kg CO2 eq.)	0,65
EPD module D (kg CO2 eq.)	-5,84



Spare parts

SP7462G-33

	Name	Code
01	Flow control handle Matt black	1008616V-33
02	Diverter and cartridge	601278V
03	Filter sealing, G3/4, DN20	178375V
03	Litter filters, G1/2, DN15	198094/2
04	O-ring kit	178796V
05	Thermostatic cartridge	178780V
06	Temperature control handle Matt black	1008607V-33

